



Precision Strike  
Technology Symposium  
(PSTS-09)



---

*Files are in Adobe Acrobat format.  
Download the newest version from Adobe.*

---

*"Improving Precision Weapons to Win the War on Terror"*

27 – 29 October 2009  
Laurel, MD

*Due to the classified nature of this symposium, very few presentations were approved for distribution.*

Agenda

**TUESDAY 27 OCTOBER 2009**

**NAVY WEAPONS DEVELOPMENT & NET WORK ENABLED WEAPONS:** Rear Admiral William E. Shannon, III, USN—PEO for Unmanned Aviation and Strike Weapons (PEO (U&W))

**KEYNOTE —*BUILDING THE FUTURE FORCE*:** Lieutenant General Duane D. Thiessen, USMC—Deputy Commandant for Programs and Resources, USMC

**WEDNESDAY 28 OCTOBER 2009**

**GPS EPHEMERIS & IONOSPHERIC CORRECTION SHARING SERVICE (GEISS) FOR PRECISION GUIDED MUNITIONS (ALTERNATE ABSTRACT):** Dr. Alison Brown—President and CEO of NAVSYS Corporation

**Office of the Secretary of Defense:**

- **Capitalization on Investment & OSD Concerns:** Keith Sanders—DD Air Warfare, Portfolio Systems Acquisition, OUSD(AT&L)

**1605 PEO U&W:**

- **Addressing the ASuW Capability Gap—An Acquisition Perspective:** Captain Mat Winter, USN—PMA-201, NAVAIR
- **Network Enabled Weapons & Time Sensitive Strike:** Captain Dave Davison, USN—PMA-280, NAVAIR

**THURSDAY 29 OCTOBER 2009**

**TACTICAL GRENADE EXTENDED RANGE:** Ross Sanders—Chief Technical Analyst, MBDA Missile Systems

- 0715 **CHECK-IN / CONTINENTAL BREAKFAST**
- 0800 **SYMPOSIUM WELCOME:** *Andy McHugh*—Chairman of the Board
- 0805 **JHU / APL WELCOME:** *Dr. Ira Blatstein*—Director of Strategic Planning
- 0815 **NAVY WEAPONS DEVELOPMENT & NETWORK ENABLED WEAPONS:**  
*Rear Admiral William E. Shannon, III, USN*—PEO for Unmanned Aviation and Strike Weapons (PEO (U&W))
- 0835 **NATIONAL INTELLIGENCE ISSUES & CHALLENGES:**  
*Major General John Landry, USA (Ret)*—National Intelligence Officer, National Intelligence Council, Office of the Director of National Intelligence
- 0915 **WEAPON SYSTEM INFORMATION ASSURANCE (IA) THREAT:**  
*Mark E. Byrkit*—Senior Professional Staff Scientist, Air & Missile Defense Dept., JHU/APL
- 0945 **KEYNOTE—BUILDING THE FUTURE FORCE:**  
*Lieutenant General Duane D. Thiessen, USMC*—Deputy Commandant for Programs and Resources, USMC
- 1030 **NETWORKING REFRESHMENT BREAK** (sponsored by: Kaman Precision Products)
- 1045 **DEVELOPING THE JSF TO FIGHT THE WAR ON TERROR:**  
*Captain John “Snooze” Martins, USN*—Director, Air Vehicle, F-35 Lightning II Program
- 1115 **WARPLAN-WARFIGHTER FORWARDER SPIRAL II (WWF II) JOINT EXPEDITIONARY FORCE EXPERIMENT (JEFX 09-3) ASSESSMENT (ABSTRACT):**  
*Greg Williams*—Senior Professional Staff, JHU/APL
- 1145 **STRIKE HORIZONTAL INTEGRATION LIMITED OBJECTIVE EXPERIMENT (SHILOE) FOR NET ENABLED WEAPONS (ABSTRACT):**  
*Randel Langloss*—Network Enabled Weapons (NEW) System-of-Systems Engineer, China Lake Naval Air Station, CA
- 1215 **LUNCHEON—Kossiakoff Center Dining Room** (sponsored by: Lockheed Martin Corp.)
- 1245 **LUNCHEON ADDRESS—WINNING THE GLOBAL WAR ON TERROR:**  
*Lieutenant General Thomas G. McInerney, USAF (Ret)*—Fox News Military Analyst
- 1330 **TARGET-CENTRIC WEAPON DESIGN FOR SMALL UAS APPLICATIONS (ABSTRACT):**  
*Douglas M. Storsved*—Chief Systems Engineer, ATK Advanced Weapons Division
- 1400 **8th AIR FORCE & GLOBAL STRIKE COMMAND’S ROLE IN NATIONAL SECURITY STRATEGY:**  
*Colonel West Anderson, USAF*—Eighth Air Force Chief of Staff, Barksdale AFB
- 1445 **NETWORKING REFRESHMENT BREAK**
- 1515 **METHODOLOGIES FOR ASSESSING WEAPONS EFFECTIVENESS IN THE URBAN ENVIRONMENT (ABSTRACT):**  
*Robert Stevenson*—Senior Operations Research Analyst, Systems Planning & Analysis
- 1545 **PRECISION TARGETING—ENABLER OF PRECISION STRIKE (ABSTRACT):**  
*Stephen Percy*—Senior Advisor, USARDEC, Picatinny Arsenal
- 1615 **TRENDS IN GEOSPATIAL INTELLIGENCE SUPPORTING PRECISION STRIKE:**  
*John Tuley*—National Geospatial-Intelligence Officer for Targeting Issues, National Geospatial-Intelligence Agency (NGA)
- 1700 **CHALLENGES IN CALCULATING COLLATERAL DAMAGE:**  
*Lieutenant Colonel Deborah MacKay, USAF*—Chief for Targeting Policy, Directorate for Intelligence, The Joint Staff (J2)
- 1730 **EVENING RECEPTION WITH HEAVY HORS D’OEUVRES** (sponsored by: Honeywell International)



**Mark E. Byrkit**  
Senior Professional Staff  
Scientist, Air & Missile  
Defense Dept., JHU/APL



**Captain John “Snooze”  
Martins, USN**  
Director, Air Vehicle, F-35  
Lightning II Program



**Colonel West Anderson, USAF**  
Eighth Air Force Chief of Staff,  
Barksdale AFB

## NOTE:

Unclassified  
note-taking is  
permitted.  
~ ~ ~

Classified  
notes will be  
confiscated  
by security.

# AGENDA

## WEDNESDAY, 28 OCTOBER



**Keith Sanders**  
DD Air Warfare, Portfolio Systems  
Acquisition, OUSD(AT&L)



**Rear Admiral David "Decoy" Dunaway, USN**  
Commander, Operational Test  
and Evaluation Force



**Captain Larry "Buck" Burt, USN**  
OPNAV N880C, Strike Aircraft  
Plans & Requirements



**Lieutenant Colonel Tim Farquhar, USAF**  
Air-to-Ground Weapons Analyst  
Force Application Division (J-8)  
The Joint Staff

- 0700 **CHECK-IN / CONTINENTAL BREAKFAST** (sponsored by: Northrop Grumman)
- 0730 **THERMOBARIC ADVANCED CONCEPT TECHNOLOGY DEMONSTRATION (ACTD)**  
(ABSTRACT):  
*Major Ken Lemire, USA*—Program Manager, Thermobaric ACTD, Defense Threat  
Reduction Agency (DTRA), US Army, Eglin AFB
- 0800 **A SMALL UNMANNED AIRCRAFT SYSTEM (UAS) FOR ENHANCED SUPPORT OF  
CAVE DETECTION & DEFEAT** (ABSTRACT):  
*Peter Thompson*—Professional Staff, Test Support Division, DTRA, Albuquerque
- 0830 **GPS EPHEMERIS & IONOSPHERIC CORRECTION SHARING SERVICE (GEISS) FOR  
PRECISION GUIDED MUNITIONS** (ALTERNATE ABSTRACT):  
*Dr. Alison Brown*—President and CEO of NAVSYS Corporation
- 0900 **KEYNOTE—SCIENCE AND TECHNOLOGY FOR PRECISION STRIKE:**  
*Alan R. Shaffer*—Principal Deputy Director, Defense Research & Engineering, OSD
- 0945 **NETWORKING REFRESHMENT BREAK** (sponsored by: The Boeing Company)
- 1010 **PRECISION STRIKE IN A JAMMING ENVIRONMENT:**  
*Elaine Simmons*—Director, Tactical Air Forces Division, Cost Assessment &  
Program Evaluation (CAPE), OSD
- 1040 **NET ENABLED WEAPONS:**  
*Wayne Willhite*—Chief Engineer, Naval Air Warfare Center, China Lake
- 1110 **THE FUTURE OF CARRIER & EXPEDITIONARY AVIATION:**  
*Rear Admiral David "Deke" Philman, USN*—OPNAV N88, Director of Air Warfare
- 1135 **NAVAL STRIKE AIRCRAFT & WEAPONS:**  
*Captain Larry "Buck" Burt, USN*—OPNAV N880C, Strike Aircraft Plans & Requirements
- 1200 **LUNCHEON**—Kossiakoff Center Dining Room (sponsored by: Raytheon Company)
- 1230 **RICHARD H. JOHNSON AWARD CEREMONY:**
- Chairman's Remarks
  - Presentation of Award for Technical Excellence in the Field of Precision Strike
  - Recipient's Remarks
- 1245 **CAN HIGH-SPEED CRUISE MISSILES MEET PROMPT GLOBAL STRIKE (PGS) NEEDS?**  
(ABSTRACT):  
*Roger Gray*—Principal Scientist, Naval Surface Warfare Center, Dahlgren Division
- 1315 **TESTING IN TOMORROW'S JOINT ENVIRONMENT:**  
*Rear Admiral David "Decoy" Dunaway, USN*  
Commander, Operational Test and Evaluation Force, Norfolk, VA
- 1355 **NETWORKING REFRESHMENT BREAK**

### WEDNESDAY, 28 OCTOBER



#### PRECISION STRIKE TECHNOLOGY SYMPOSIUM COMMITTEE

**PSA PROGRAMS CHAIR**  
Ginny Sniegon

**PSA PROGRAMS VICE-CHAIR**  
CAPT Gregg "Mongo" Sears USN

**PSTS-09 TRI-CHAIRS**  
Dr. John Walter  
George McVeigh  
Harvey Dahljelm

**PSTS-09 TECHNICAL CHAIRS**  
CAPT Mongo Sears USN  
KC Albright  
Buck Buchanan  
Suzy Kennedy

**PRECISION STRIKE  
REPRESENTATIVES**  
CAPT Larry "Buck" Burt USN  
Col Mike Fantini USAF  
COL Lance Moore USA (Ret)  
Col Bob Valin USAF  
LTC Joe Horab USA  
LCDR Scott Wilson USN  
Lt Col Tim Farquhar, USAF  
LtCol Chuck Kelly USMC (Ret)  
LTC Ken Britt USA (Ret)

**EXECUTIVE DIRECTOR**  
Dawn M. Campbell, CMP

#### 1415 **ANTI-SURFACE WARFARE REQUIREMENTS PANEL:**

Moderator: *Lieutenant Colonel Tim Farquhar, USAF*

Air-to-Ground Weapons Analyst, Force Application Division (J-8), The Joint Staff

#### 1420 **REQUIREMENTS:**

- **UONS/Capability Gap/Solution/Range Issue:**  
*PACOM/PACFLT issues to be covered by OPNAV N880C & OPNAV N864*
- **Naval Aviation Perspective:**  
*Captain Larry "Buck" Burt, USN*—OPNAV N880C, Strike Aircraft Plans & Requirements
- **USAF Perspective:**  
*Colonel Mike Fantini, USAF*—Division Chief, Combat Force Application Requirements (AF/A5RC)
- **Surface Perspective:**  
*Captain Robert Kerno, USN*—OPNAV N864, Surface Warfare

#### 1505 **SCIENCE & TECHNOLOGY:**

- **LRASM Goals / Technologies / Rapid Transition Capability:**  
*Rob McHenry*—Program Manager, Tactical Technology Office, Defense Advanced Research Projects Agency (DARPA)
- **Support to the Warfighter:**  
*Joe Doychak*—Program Manager, Aerospace Science Research Division, Office of Naval Research

#### 1535 **BREAK**

#### 1545 **OFFICE OF THE SECRETARY OF DEFENSE:**

- **Capitalization on Investment & OSD Concerns:**  
*Keith Sanders*—DD Air Warfare, Portfolio Systems Acquisition, OUSD(AT&L)

#### 1605 **PEO U&W:**

- **Addressing the ASuW Capability Gap—An Acquisition Perspective:**  
*Captain Mat Winter, USN*—PMA-201, NAVAIR
- **Network Enabled Weapons & Time Sensitive Strike:**  
*Captain Dave Davison, USN*—PMA-280, NAVAIR

#### 1640 **STRIKE, LAND ATTACK & AIR DEFENSE (SLAAD):**

- **ASuW Study Group's Interim Findings:**  
*John Fox*—Manager, Advanced Weapons Programs, The Boeing Company

#### 1700 **ASuW REQUIREMENTS PANEL DISCUSSION—Q&A:**

- **N88** – *Captain Larry "Buck" Burt, USN*
- **AF/A5RC** – *Colonel Mike Fantini, USAF*
- **N864** – *Captain Robert Kerno, USN*
- **PEO** – *Captain Mat Winter, USN*
- **OSD** – *Keith Sanders*

#### 1730 **ADJOURN FOR THE DAY**



Captain Mat Winter, USN  
PMA-201, NAVAIR



Colonel Mike Fantini, USAF  
AF/A5RC



Captain Robert Kerno, USN  
OPNAV N864



Captain Dave Davison, USN  
PMA-280, NAVAIR



# AGENDA

THURSDAY, 29 OCTOBER



**Jim "Hondo" Geurts**  
Commander, Joint  
Acquisition Task Force-Dragon,  
HQ USSOCOM



**Lieutenant Colonel  
Hampton Hite, USA**  
Staff Synchronization Officer  
for Fire Support Command &  
Control, DCS Army G-8



0700 **CHECK-IN / CONTINENTAL BREAKFAST**

0730 **TACTICAL GRENADE EXTENDED RANGE (ABSTRACT):**  
*Ross Sanders*—Chief Technical Analyst, MBDA Missile Systems

0800 **EXTENDED RANGE MORTAR AMMUNITION (ABSTRACT):**  
*Dr. Christine Michienzi*—Program Manager, Gun Propellant Development, Naval Surface Warfare Center, Indian Head Division

0830 **TECHNOLOGIES FOR DIRECTED ENERGY WEAPONS:**  
*Dr. Edward A. Duff*—Acting Precision Engagement Product Line Leader, Air Force Research Laboratory, Kirtland AFB

0910 **NETWORKING REFRESHMENT BREAK**

0930 **KEYNOTE—FUTURE SOF CAPABILITY NEEDS:**  
*William M. Shepherd*—Senior Advisor, Science & Technology, United States Special Operations Command

1015 **U.S. SPECIAL OPERATIONS PANEL:**  
**Moderator:** *Lieutenant Colonel Hampton Hite, USA*—Staff Synchronization Officer for Fire Support Command & Control, DCS Army G-8

- **USSOCOM Support to OEF/OIF:**  
*Senior Master Sergeant Eric Neilsen, USAF*—AFSOC Ground Integration Branch, Hurlburt Field, FL
- **Global Special Operations Support:**  
*Colonel Mike Adams, USA*—SOCOM Director of Current Operations, HQ USSOCOM
- **Precision Munitions and Platforms in Support of Irregular Warfare:**  
*Jim "Hondo" Geurts*—Commander, Joint Acquisition Task Force – Dragon, HQ USSOCOM
- **Strategic Authorities & Approval Process:**  
*Colonel Rich Samuels, USAF*—Division Chief for Plans, Policy & Exercises, Office of DD Special Operations & Combating Terrorism (DDSO/CT), The Joint Staff (J-37)

Questions to be addressed by the Panelists include: *How is precision engagement being employed? How is it working? What requirements are needed for improved capability in the GWOT?*

1130 **AC-130U GUNSHIP ENGAGEMENTS IN SUPPORT OF OEF:**  
*Lieutenant Colonel Mark Clawson, USAF*—Assistant Operations Officer, 4th Special Operations Squadron, Hurlburt Field

1200 **BUFFET WORKING LUNCH**—Kossiakoff Center Dining Room  
(SOCOM Officials informal interaction with Government & Industry Representatives)

1300 **3RD PARTY TARGETING OF TLAM:**  
*Commander David "Manny" Ramsey, USN*—USSOCOM NSWDC

1320 **PRECISION TACTICAL TARGETING IN OEF AND OIF:**  
*Michael Wirtz*—Digital Precision Strike Suite (DPSS) PM, Naval Air Warfare Center, Weapons Division, China Lake

1400 **CLOSING REMARKS:** *Andy McHugh*



# **Precision Strike Technology Symposium**


## **Navy Weapons Development & Network Enabled Weapons**

**October 27, 2009**

**RADM Bill Shannon  
Program Executive Officer  
Unmanned Aviation and Strike Weapons**




# PEO(U&W) Overall Portfolio





# Strike Weapons Family of Systems

## Direct Attack Weapons








# Strike Weapons Family of Systems

## Standoff Weapons / Air-to-Air Weapons





# Advanced Precision Kill Weapon System II (APKWS II)



## Capability

- APKWS is a Semi-Active Laser (SAL) guidance kit added to current 2.75-inch rocket motors and warheads
- Low cost, low collateral damage and minimal integration
- Accurate: 80% within 2 meters of laser spot
- Increased Kills/Sortie: 14 - 38 per sortie
- Status: Mature design, Integrated Test begins November 2009
- Initial Operational Capability 3<sup>rd</sup> Qtr FY11

Low Cost, High Precision, Low Collateral Damage for Irregular Warfare



# Advanced Anti-Radiation Guided Missile (AARGM)



## Capabilities

- Counters Advanced IADS
- Greater Lethality
- Addresses ARM countermeasures
- Weapon Impact Assessment



## Demonstrated Test Results

- 8 Live Developmental Test Shots
- Multi-mode guidance (ARH, MMW, GPS)
- Advanced Emitter threat detection and ID
- Counter Shutdown Tactics
- Target geo-location
- Netted with off-board targeting (US only)
- Weapon Impact Assessment



**Suppression to Destruction of Air Defenses**



# Harpoon Block III



- Block IC out of production
- Block IC continues to provide reliable SUW capability
- Block II FMS in production
- Block III kit upgrade program cancelled
- OPNAV initiating Follow-On SUW AoA








# Joint Surface Warfare JCTD

## Description:

- **Joint War-fighter has limited capability to engage enemy surface vessels at stand-off ranges in all weather conditions (PACOM sponsor)**
- **Weapon Data-link Network provides linkage and interoperability between USAF and USN ISR platforms via Link-16 to provide in-flight target updates to Joint anti-ship standoff weapons**
- **Proposed Participants**
  - ISR (E-8 JSTARS, P-3 LSRS)
  - Shooter (FA-18)
  - Weapons (H3, JSOW-C-1, SLAM-ER)

## Discussion:

- **DUSD (AT&L) program, USN lead w/USAF co-lead**
- **Program began in FY07, runs through FY10**
- **JCTD will deliver first true Net-centric Warfare CONOPS and TTPS**



## Schedule:

- |   |      |
|---|------|
| • Requirements and Software Development | FY07 |
| • System Integration Testing            | FY08 |
| • Capability Demonstration              | FY09 |
| • Military Utility Assessment           | FY10 |



- JSPEAR MSN on SIPR to TA**



**T/A and FRU will have comms with missile via TSN**




**AUR**



## Sends initial ESP to ship

## Electronic Strike Package with preliminary mission via RNI



## USS PRINCETON (CG 59)



# Mission Planning


## Current aircraft using JMPS

---

<u>FY06</u>	<u>FY07</u>	<u>FY08</u>	<u>FY09</u>	<u>FY10</u>	<u>FY11</u>	<u>FY12</u>	<u>FY13</u>	<u>FY14</u>	<u>FY15</u>
F/A-18	MV-22	CNATRA	C-2A	SH-60B	MPRF	MH-60R/S	E-2D	KC-130J	BAMS
E-2C			EA-18G	SH-60F	AH-1Z	KC-130T	H-53K		
AV-8B				HH-60H	UH-1Y				
EA-6B				MH-53E					
S-3				CH-46E					
				CH-53D					
				CH-53E					
				AH-1W					
				UH-1N					
				VH-3					
				VH-60					
				P-3					
				C-130T					



# JMPS MPE Development & IOC








# Weapons Revolution

## 1985 Mission Centric Operations

Rockets  
TOW  
Maverick



Rockeye  
Bombs  
LGB  
Walleye



Penguin  
Sea Skipper  
Harpoon



HARM



AIM-9M Sidewinder

AIM-120 C5/7  
Phoenix



Tomahawk



## 1995

Rockets  
TOW  
Maverick  
Hellfire



Rockeye  
Bombs  
LGB




Penguin  
Harpoon




HARM



SLAM



Sidewinder  
Sparrow  
AMRAAM  
Phoenix



Tomahawk




## 2005 Network Centric Operations (GPS)

Rockets  
TOW  
Maverick  
Hellfire



Rockeye  
Bombs  
LGB  
EGB  
JDAM



Harpoon



HARM



JSOW-A/C  
SLAM-ER



AIM-9X  
AMRAAM




TACTOM (WDL)



## 2015 Enhanced NCO

JAGM  
APKWS



Rockeye  
EGB  
JDAM  
SDB-II (WDL)



SLAM-ER  
JASSM (WDL)



JSOW-A  
JSOW-C (WDL)



AARGM

AIM-9X Blk II  
AMRAAM



TACTOM (WDL)






# The Next Revolution....

## Mission Capability Focused: Speed, Agility, & Alignment


- We must be networked and interoperable with joint forces (Machine-to-Machine)
- **We must possess the ability to move tactical war fighting information seamlessly on/off the aircraft and across a networked force**
- We must manage at the interface





# And the next...

UAV's are destined to become the next evolution of the world's air combat forces. The integration between manned and unmanned systems will be the first step in meeting those future systems, today.



## Why?

- Persistent ISR
- Small = Tactical OTH / Big = Strategic
- Reduces Footprint
- Efficient / More Affordable

## Unintended Consequence:

- Stressing the Acquisition Process
- Easy to get our hands on technology + insatiable fleet thirst = Faster than the current process allows

# ***GPS Ephemeris & Ionospheric Correction Sharing Service (GEISS) for Precision Guided Munitions***

PSTS 09

October 28, 2009

**Alison Brown, Bruce Johnson,  
Joel Schuster, Charles Johnson**

NAVSYS Corporation  
Colorado Springs, CO  
(719) 481-4877 [www.navsys.com](http://www.navsys.com)

**Brian McAbee**

Army Excalibur Program  
Picatinny Arsenal, NJ  
(973) 724-2152

(DFARS 252.227-7018 (June 1995))

SBIR Data Rights

Contract Number: W15P7T-08-C-V204

NAVSYS Corporation, 14960 Woodcarver Road, Colorado Springs, CO 80921

Expiration of SBIR Data Rights Period: Expires five years after completion of project work for this or any other follow-on SBIR contract, whichever is later.

The Government's rights to use, modify, reproduce, release, perform, display, or disclose technical data or computer software marked with this legend are restricted during the period shown as provided in paragraph (b)(4) of the Rights in Noncommercial Technical Data and Computer Software—Small Business Innovative Research (SBIR)

Program clause contained in the above identified contract. No restrictions apply after the expiration date shown above. Any reproduction of technical data, computer software, or portions thereof marked with this legend must also reproduce the markings. (End of legend)




# ***What is the Problem?***

- Small precision guided munitions need high accuracy GPS for guidance
- Munitions must be initialized prior to launch to allow rapid GPS acquisition
- GPS guided weapons only use satellites for navigation with pre-loaded NAV data
- Denial of GPS service at launch platform also limits PGM navigation performance

# ***What is the Solution?***

- Small Diameter Bomb (SDB)
  - Accuracy improved by use of Precision GPS Ephemeris uplink through Talon NAMATH TCS
  - F-15E platform provides Nav data locally
- GPS-Guided Projectiles
  - GPS Ionospheric & Ephemeris Sharing Service (GEISS) provide ionospheric and ephemeris data for all satellites in view

# ***SDB Solution- ZDGPS***




# ***GPS-Guided Munitions that Could Benefit from GEISS***

- Munitions
  - Excalibur
  - M107, M549/A1, M795 (w/ PGK)
- Platforms
  - Paladin, M777A2, Digitized M119




- Currently, munitions are initialized with navigation, ephemeris, and Iono data from each weapon platform (WP) GPS receiver, using only satellites visible to that platform
- In flight, navigation data is only used from “initialized” satellites, reducing accuracy




# PGM Performance w/ GEISS

- GEISS “combines” satellite information from each WP GPS receiver and supplies the complete set to each WP through AFATDS for munitions initialization
- This allows even initially blocked satellites to be used in flight when available



Option to sync with  
PGE data when  
SIPRNET connected




**AFATDS**



Note: TCM-Cannon personnel will make final determination on all GEISS, AFATDS, and Weapon Platform requirements

# Aim Point Errors





- Horizontal GPS bias errors map into horizontal aim point errors (earth referenced frame)
- Vertical GPS bias errors map into horizontal aim point errors through munition fall angle
  - Result in along track errors

Vertical GPS errors map into along track aim point errors





# ***HPE and VPE***

## ***Antenna 15 Degree Mask Angle***




# ***Maximum HPE and VPE Antenna 15 Degree Mask Angle***



Note: Different meter error scale on side for HPE vs VPE

# GEISS/PGE Integration Option




# Scenarios

1. Open Sky (mask angle 5 deg, DAGR default)  
Baghdad 0500Z, 9 Sep 08  
HDOP = 0.71 VDOP= 0.84
2. Far Field Terrain (mask angle 15 deg)  
Baghdad 0500Z, 9 Sep 08  
HDOP = 5.64 VDOP= 9.61 VAPP
3. Hide Site (mask angle 40 deg) FOM > 1  
Baghdad 0500Z, 9 Sep 08  
HDOP = 0.71 VDOP= 0.84




# Scenarios

Azimuth Elevation plot, view from above, mask = 5 deg




Azimuth Elevation plot, view from above, mask = 15 deg




	Mask (degree)				
DOPs	0	5	10	15	20
HDOP	0.65	0.71	1.39	5.64	5.64
VDOP	0.79	0.84	1.72	9.61	9.61
GDOP	1.11	1.20	2.48	13.11	13.11

At mask angles >40 deg,  
FOM exceeds 1, resulting  
in no shot

# Baghdad Performance Analysis





Time selected



30 Day PAF errors for SVs in view  
at selected sidereal time

## 1. Local DAGR Open Sky ICEP & X/Y Plot 5 deg Mask, Baghdad (HDOP=0.71 VDOP=0.84) Range: 19 km, Fall Angle: 48 deg




**ZNAV CEP = 0.65m**  
**BNAV CEP = 1.30m**

**ZNAV 95% = 1.4m**  
**BNAV 95% = 3.3m**


## 2. Local DAGR Open Sky ICEP & X/Y Plot 15 deg Mask, Baghdad (HDOP=5.6 VDOP=9.6) Range: 19 km, Fall Angle: 48 deg

VAPP ICEP: Mask Angle = 15 deg, Range = 19 km, Fall Angle = -49 deg  
CEP: ZNAV = 4 BNAV = 4.5, 95%: ZNAV = 9.9 BNAV = 26 [m]



**ZNAV CEP = 4.0 m**  
**BNAV CEP = 4.5 m**

VAPP Impact Point Scatter Plot  
Mask Angle = 15 deg, Range = 19 km, Fall Angle = -49 deg



**ZNAV 95% = 9.9 m**  
**BNAV 95% = 26 m**

### ***3. Mask Angle >40 Deg***

- Without GEISS augmentation, FOM >1, no shot
- With GEISS aiding, effective mask angle reduced, allowing precision shot



# GEISS Scenarios Summary

Scenario Mask angle	1. Open-Sky 5 deg	2. Far Field Terrain 15 deg	3. Hide Site 40 deg
Local DAGR	OK	Degraded	FOM > 1 No shot
PGE	High Precision	Degraded	FOM > 1 No shot
Iono & Ephemeris N/W Sharing	OK	OK	OK
PGE + Iono Sharing	High Precision	High Precision	High Precision

# ***Conclusion***

- GEISS network sharing can enhance number of satellites available for use by GPS-guided projectiles
- USA CECOM sponsoring GEISS research and demos for current and future platforms
- CERDEC/ARDEC providing technical oversight and guidance
- Integration with AFATDS will allow deployment to follow-on Excalibur and PGK projectiles with SW upgrades only



# Capitalization on Investment OSD Concerns

---

Keith Sanders

Precision Strike Technology Symposium 2009  
October 28, 2009



# Outline

✗ Capitalization on Investment

✓ OSD Concerns

- regarding needed behavioral adjustments to the business of defense acquisition



# Administration & Congressional Focus

## Weapons System Acquisition Reform Act of 2009

- “to address unreasonable cost and schedule estimates, performance expectations, immature technologies and repeated program changes that have led to explosive cost growth and costly schedule delays” .... Senator McCain
- “limit cost overruns before they spiral out of control
- strengthen oversight and accountability by appointing officials who will ... closely monitor the weapons systems we are purchasing to ensure costs are controlled
- end conflicts of interest in the weapons acquisition process
- enhance competition...” .... President Obama

**Limit cost growth of individual programs**





# Significant Changes

## Weapons System Acquisition Reform Act

- Creates new positions with independent reporting authority
  - Director, Cost Assessment & Program Evaluation
    - Higher confidence in cost estimates
  - Director, DT&E and Director, Systems Engineering positions
    - Added discipline to understand risks and mature products in E&MD
- Revises Milestone certification requirements (10 USC 2366a and 2366b)
  - All major programs beyond Milestone B, regardless of maturity



# Significant Changes (cont'd)

## Department Business Practices

- Renewed emphasis on Fixed Price Type contracts
- Peer Reviews for major source selections
- Independent reviewers to judge readiness for OT
- Increased emphasis on technical maturity within a program phase
  - Risk mitigation
  - Reliability and maintainability



# The Means to an End

- Government
  - Better defined requirements and acquisition plans
  - Better defined decision criteria
  - Better cost estimates and program funding
- Industry
  - Proposals with provisions for risks
    - Scope
    - Schedule
    - Cost



# The Big Assumptions

- Companies will act responsibly, with expert understanding of the challenges, and propose programs whose schedule and cost anticipate all the appropriate, avoidable risks
- Companies will execute their contracts efficiently and effectively
- Government will act responsibly



# The Alternatives?

- Proposals deemed unrealistic
- Source Selection recommendations reversed
- Source Selections reopened
- Programs in limbo awaiting a Milestone decision due to perceived risks, or inability to certify





# OSD Concerns

- How long will it take for government and industry behaviors to adjust?
- How do we handle those programs that are already in the midst of source selection but operating with out-of-date expectations?
- How hard will those in denial fall given the scarcity of new program contracting opportunities?



**Questions?**

**Comments?**

**Rebuttals?**



# Tactical Grenade-Extended Range (TGER) A Precision Small Unit Tactical Weapon

Precision Strike Association  
October 2009

Presented by Dr Ross Sanders  
Chief Technical Analyst  
MBDA Missile Systems  
[ross.sanders@mbda-us.com](mailto:ross.sanders@mbda-us.com)  
818-300-3086

# Operational Need

- Small tactical units need a precise, rapid response, extended range weapon for employment at the discretion of the on-site commander
  - Troops deployed in urban environments
  - Fire Team, Squad, Platoon, Company
- Small hand launched, extended range weapon provides a solution
- Potential applications
  - Counter sniper weapon
  - Targets beyond effective small arms range
  - Targets obscured by walls, buildings, or ditches
  - Key positions / targets posing an immediate threat
    - Machine guns, personnel, cars, trucks, tactical vehicles, crew served weapons
  - Destruction of IED weapon
- This requirement is now showing up with SOCOM as LMAMS (Lethal Miniature Aerial Munition System)

# Tactical Grenade Extended Range

- Hand Launched, extended range weapon
  - 3 pound fly away weight
  - 1 pound warhead
  - Inflatable wing
  - 24 inch wingspan
  - 2 inch diameter fuselage, 12 inch long
  - Vertical stabilizer 3 inch
  - Dual 40 mm grenade warhead
  - Electronic Safe and Arm Fuze
- Containerized for transport
  - 4 inch diameter by 15 inch long sealed canister
  - 4 pound shipping weight




**TGER Vehicle**

# Currently Developed TGER Components



**Inflatable Wing**




**Tiny Guidance Engine**



**Ground Control**



**Data Link**



**TGER Weapon**



**Motor**



**GPS**



**Warhead**



# Company Information

MBDA Incorporated,  
Westlake Division

- Westlake Village, California
  - US Arm of MBDA in Europe
- Expertise in guided weapon technology
  - Precision air to ground weapons
  - Weapon control data links
  - Laser guided rockets
  - Small Diameter Bomb wing kit



# Company Information

## Continental Controls and Design

- Huntington Beach, California
  - Active since 1997
  - CCD is a small business
- Expertise in Guidance, Navigation and Control technology
- CCD's mission
  - Design and support innovative, rapid response solutions by employing miniature instruments and UAV autopilot

Locust ISR Vehicle



# Company Information

DSE, Inc

- Tampa, Florida
  - Production facility in Gaffney, South Carolina
- Primary Expertise
  - Currently one of two existing prime contractors to U.S. Army for 40mm ammunition
- Major Products
  - 40mm to 155mm munitions
    - 40mm High Velocity Rounds
    - 40mm Low Velocity Rounds



**M430 40mm Grenade Round**

# Company Information

## ILC Dover

- Location
  - Fredricka, Delaware
- Primary Expertise
  - Inflatable design and advanced materials development
  - Over 30 years experience in design and manufacture of inflatable UAV wings
  - Provides space suits for space shuttle crews



**ILC Inflatable UAV Wing**

## TGER Development

# Background

- TGER History
  - Derivative of Locust ISR vehicle
  - Locust program started in December 2004 by CCD
    - 18 systems delivered to the Army
    - Currently being operationally evaluated at Ft Huachuca
    - Airframe has flown > 750 flights
  - Locust avionics suite integrated into TGER vehicle
    - Camera, GPS, data link, autopilot, flight instruments, ground station
    - Capable of geo-locating points within the video field of view





# TGER System Characteristics


- Autonomous flight
  - Autopilot and inertial instruments fly the vehicle
  - Joystick operation supported but not desired for tactical use
- Flight Performance
  - Electric motor propulsion
  - Speed: 50 mph cruise, 30 mph loiter, 80 mph dive
  - Altitude 20,000 feet MSL capable
  - Typical flyout altitude 400 feet AGL
  - 12 -15 minute flight time
  - 2 mile operational range
- GPS waypoint programmable
  - Enables attack of targets behind buildings and walls
- Two way digital data link
- On-board terminal guidance
  - Man in the loop aim point selection
  - Attacks fixed and moving targets

# TGER Concept of Operation

- Pre-Launch
  - Target located by troops on the ground or overhead assets
  - Launch weapon from concealment / defilade
    - Launch at best heading for launch condition
- Post Launch
  - Weapon automatically follows waypoints to the target area
  - Video image down linked to operator
- End game capability
  - Loiter while look over target area
    - Allows attack of targets that are obscured or moved after launch
  - Mission abort
- Terminal guidance
  - Operator selects target aim point on control station touch screen
  - Terminal guidance engages and guides weapon to the target
  - Wave off and target reacquire

# Enabling Technologies - TGE

- Tiny Guidance Engine (TGE) provides
  - 3 Axis IMU
    - MEMS rate gyros and accelerometers
  - Magnetometer and pressure sensor
  - GPS Navigation interface
  - Full GPS / INS estimation filter
  - 13 grams, 1 cubic inch
- TGE designed and produced by CCD
- TGE tested for environments
  - Operates from -30° C to +50° C
  - Survives Mil Std 810 Minimum Integrity Vibration for fixed wing aircraft and helicopters
    - 1 hour each axis



Tiny Guidance Engine  
(without GPS)

# Enabling Technologies - Ground Control Station

- Locust ground control station fully developed and operational
- Hosted on standard laptop
  - Compatible with existing ground stations like Rover
- Ground control station provides
  - Point and click functionality
    - Compatible with DTED and Falcon View map data
  - Waypoints and target location uploaded to weapon
  - Real time video display for target selection
  - Vehicle status
    - Remaining flight time
    - Arming status



**TGER Ground Station Display**

# Enabling Technologies – Data Link

- CCD currently completing a Phase II SBIR for upgrading the Locust from analog to digital data link
  - Locust data link is a direct application for use in TGER
- Digital data link
  - Two way data link uses 802.11g communications format (2.4 GHz)
    - Video and status down, operator commands up
  - 1 watt power amplifier in vehicle and ground station
  - Operational range of 2 miles
- Data link antenna
  - Vehicle: 2 inch monopole
  - Ground Station: 6 inch monopole
- CCD proprietary software minimizes contention with other 802.11 users
  - Allows data link use in urban areas



**TGER Data Link Card**

# Enabling Technologies – Camera

- TGER development uses digital CMOS visible light camera
  - 5 mega pixel resolution
  - Low cost, commercially available
  - Can be upgraded for new technology
- TGER can operate with IR camera for night operation
  - IR useful for detection of obscured human targets
  - Higher cost than visible light camera
- Locust has flown with the DRS E3500S IR camera
  - 3 ounce weight
  - 8-12  $\mu\text{m}$  waveband





DRS E3500S IR Camera




# Enabling Technologies - Fuselage

- Second generation TGER fuselage has been designed and fabricated
  - Lightweight, one piece, carbon fiber fuselage
  - Wing bonds directly to fuselage
  - Open top for installation of avionics
- Flight tests
  - Verification flight tests of the TGER vehicle with new wing, motor, and fuselage conducted in mid 2009



# Enabling Technologies - Inflatable Wing

- High lift wing provides
  - Variable flight speed
    - High speed ingress to target area
    - Slow loiter for aimpoint selection
    - Dash speed for terminal attack
  - Large payload capacity
    - Carry batteries and warhead
- Fabricated from coated, commercially available sail cloth material
  - Light weight
  - Folds easily for canister storage
  - Translucent material for stealthy operation
- Life vest type CO<sub>2</sub> inflation system
  - Over pressure relief valve for operation at different altitudes



# Enabling Technologies - Inflatable Wing

- TGER launch video with first generation inflatable wing



Click  
Video to  
Play

# Terminal Guidance Mode

- TGER avionics and flight algorithms support GPS only terminal attack

GPS  
Only  
Attack  
Video



Click  
Video  
to Play

# Terminal Guidance Mode

- TGER uses Man-in-the-Loop Corrected Impact Point GPS Terminal Guidance (referred to as Nudge Guidance)
  - Vehicle uses GPS coordinates of selected target to initiate terminal attack
  - Projected impact point displayed on the ground station video screen
    - System errors cause impact point to drift off the target
  - Operator touches desired impact point on the video screen
    - New input corrects errors in the target coordinates
  - Successive inputs allow the system to auto correct errors and to track moving targets
- Integration and flight tests of Nudge Guidance are currently being conducted
  - Nudge Guidance is working
  - Conducting further tests to accommodate user requirements and feedback

# Terminal Guidance Mode

- Features of Nudge Guidance
  - Takes advantage of the high quality human tracking ability
  - Avoids loss of track associated with auto trackers when operating in
    - High clutter regions
    - Urban environments
  - Enables terminal attack on targets that an auto tracker can not lock on to
    - Targets under foliage
    - Individual person in a moving group
    - Selected point on a large featureless region
  - Remains operational in a GPS denied environment
    - TGER vehicle capable of inertially guided flight using INS and magnetometer without GPS
    - TGER can fly heading hold to the target area




# Warhead

- Warhead concept based on existing M430 40mm grenade round
  - High Explosive – Dual Purpose impact rounds
  - Designed to penetrate 2" of steel armor
  - Inflict personnel casualties, 5 meter effective radius
  - DSE's M430 production rate for first quarter 09 > 650,000




**M430A1 – 40mm HEDP**



# Warhead

- Shaped Charge/Frag Configuration



# Warhead

- Design and test of a lethal payload is ongoing
  - Dual purpose anti-personnel, light armor penetrating
- Single, double, and triple configurations of M430 bodies
  - Armor Penetrating
  - Fragmentation
- Seven 40 mm configurations tested at DSE's facility in Gaffney, SC
- Arena tests at Redstone Arsenal to determine effectiveness
  - Conducted September 2009
  - Four configurations
    - 2 Fragmentation/Shaped Charge
    - 1 Fragmentation/Fragmentation
    - 1 Fragmentation/Fragmentation/Fragmentation
- Test data currently being analyzed by Redstone
  - Test report expected before the end of the year

## DSE Warhead Test Set Up at Gaffney, SC



Click  
Video  
to Play



# Warhead

- Warhead arena test setup at Redstone Arsenal



# Warhead

- Side view of warhead placement inside arena





# Warhead

- Top view of warhead placement inside the arena





# Warhead

- Witness panels after warhead detonation



# Warhead

- Witness panels after warhead detonation



# Safe and Arm Fuze

- Since TGER is a hand deployed weapon special safety concerns are applicable
- The desire is to use an ESAF (Electronic Safe and Arm Fuze) for TGER
- Two options available for ESAF
  - Picatinny Arsenal has a TRL 4 ESAF designed for lethal UAVs
  - TRL 9 ESAF is available from a commercial company
- Multiple arming environments will be utilized to fully arm the warhead
  - Relying on the Army to drive the final ESAF operation
    - Manual, external pin pull
    - Safety environments available
      - Distance from launch site
      - Altitude above ground
      - Velocity
    - Final arming step will be operator selection of target on the video screen

## Proposed TGER Development Program

# Quick Reaction Program

- Development is focused on a Quick Reaction Program
  - MBDA – System integrator
  - CCD – Avionics and guidance
  - DSE – Warhead
  - ILC Dover – Inflatable wings
- Program can deliver 40 Quick Reaction weapons within 6 months
  - Weapons will be end to end flight worthy
    - Ground station
    - Warhead
    - Safe and Arm Fuze
    - Nudge Guidance



# Contact Information

- Program  
Jim Pennock  
VP for Business Development  
Arlington, Virginia  
[james.pennock@mbda-us.com](mailto:james.pennock@mbda-us.com)  
571-331-6638
- Technical  
Dr Ross Sanders  
Chief Technical Analyst  
Westlake Village, California  
[ross.sanders@mbda-us.com](mailto:ross.sanders@mbda-us.com)  
818-300-3086



# **Precision Strike Technology Symposium**

## **Navy Weapons Development & Network Enabled Weapons**


**October 27, 2009**

**RADM Bill Shannon  
Program Executive Officer  
Unmanned Aviation and Strike Weapons**






# PEO(U&W) Overall Portfolio





# Strike Weapons Family of Systems


## Direct Attack Weapons





# Strike Weapons Family of Systems

## Standoff Weapons / Air-to-Air Weapons







# Advanced Precision Kill Weapon System II (APKWS II)



## Capability

- APKWS is a Semi-Active Laser (SAL) guidance kit added to current 2.75-inch rocket motors and warheads
- Low cost, low collateral damage and minimal integration
- Accurate: 80% within 2 meters of laser spot
- Increased Kills/Sortie: 14 - 38 per sortie
- Status: Mature design, Integrated Test begins November 2009
- Initial Operational Capability 3<sup>rd</sup> Qtr FY11

Low Cost, High Precision, Low Collateral Damage for Irregular Warfare



# Advanced Anti-Radiation Guided Missile (AARGM)



## Capabilities

- Counters Advanced IADS
- Greater Lethality
- Addresses ARM countermeasures
- Weapon Impact Assessment



## Demonstrated Test Results

- 8 Live Developmental Test Shots
- Multi-mode guidance (ARH, MMW, GPS)
- Advanced Emitter threat detection and ID
- Counter Shutdown Tactics
- Target geo-location
- Netted with off-board targeting (US only)
- Weapon Impact Assessment



**Suppression to Destruction of Air Defenses**



# Harpoon Block III



- Block IC out of production
- Block IC continues to provide reliable SUW capability
- Block II FMS in production
- Block III kit upgrade program cancelled
- OPNAV initiating Follow-On SUW AoA




# Joint Surface Warfare JCTD

## Description:

- Joint War-fighter has limited capability to engage enemy surface vessels at stand-off ranges in all weather conditions (PACOM sponsor)
- Weapon Data-link Network provides linkage and interoperability between USAF and USN ISR platforms via Link-16 to provide in-flight target updates to Joint anti-ship standoff weapons
- Proposed Participants
  - ISR (E-8 JSTARS, P-3 LSRS)
  - Shooter (FA-18)
  - Weapons (H3, JSOW-C-1, SLAM-ER)

## Discussion:

- DUSD (AT&L) program, USN lead w/USAF co-lead
- Program began in FY07, runs through FY10
- JCTD will deliver first true Net-centric Warfare CONOPS and TTPS



## Schedule:


- |   |      |
|---|------|
| • Requirements and Software Development | FY07 |
| • System Integration Testing            | FY08 |
| • Capability Demonstration              | FY09 |
| • Military Utility Assessment           | FY10 |





# Tactical Real Time Employment Of TACTOM

- Use of UAS Intelligence
- Use of PSS-SOF
- Use of JSPEAR
- Direct Transmission of mission on SIPR





# Mission Planning


## Current aircraft using JMPS

---

<u>FY06</u>	<u>FY07</u>	<u>FY08</u>	<u>FY09</u>	<u>FY10</u>	<u>FY11</u>	<u>FY12</u>	<u>FY13</u>	<u>FY14</u>	<u>FY15</u>
F/A-18	MV-22	CNATRA	C-2A	SH-60B	MPRF	MH-60R/S	E-2D	KC-130J	BAMS
E-2C			EA-18G	SH-60F	AH-1Z	KC-130T	H-53K		
AV-8B				HH-60H	UH-1Y				
EA-6B				MH-53E					
S-3				CH-46E					
				CH-53D					
				CH-53E					
				AH-1W					
				UH-1N					
				VH-3					
				VH-60					
				P-3					
				C-130T					



# JMPS MPE Development & IOC




As of 5-18-09



# Weapons Revolution

## 1985 Mission Centric Operations

Rockets  
TOW  
Maverick



Rockeye  
Bombs  
LGB  
Walleye



Penguin  
Sea Skipper  
Harpoon



HARM



AIM-9M Sidewinder

AIM-120 C5/7  
Phoenix




Tomahawk



## 1995

Rockets  
TOW  
Maverick  
Hellfire



Rockeye  
Bombs  
LGB




Penguin  
Harpoon



HARM



SLAM



Sidewinder  
Sparrow  
AMRAAM  
Phoenix




Tomahawk



## 2005 Network Centric Operations (GPS)

Rockets  
TOW  
Maverick  
Hellfire



Rockeye  
Bombs  
LGB  
EGB  
JDAM



Harpoon



HARM



JSOW-A/C  
SLAM-ER



AIM-9X  
AMRAAM




TACTOM (WDL)



## 2015 Enhanced NCO

JAGM  
APKWS



Rockeye  
EGB  
JDAM  
SDB-II (WDL)




SLAM-ER  
JASSM (WDL)



JSOW-A  
JSOW-C (WDL)

AARGM



AIM-9X Blk II  
AMRAAM



TACTOM (WDL)






# The Next Revolution....

## Mission Capability Focused: Speed, Agility, & Alignment


- We must be networked and interoperable with joint forces (Machine-to-Machine)
- **We must possess the ability to move tactical war fighting information seamlessly on/off the aircraft and across a networked force**
- We must manage at the interface





# And the next...

UAV's are destined to become the next evolution of the world's air combat forces. The integration between manned and unmanned systems will be the first step in meeting those future systems, today.



## Why?

- Persistent ISR
- Small = Tactical OTH / Big = Strategic
- Reduces Footprint
- Efficient / More Affordable

## Unintended Consequence:

- Stressing the Acquisition Process
- Easy to get our hands on technology + insatiable fleet thirst = Faster than the current process allows



# ***PSA Precision Strike Technology Symposium***

LtGen Duane Thiessen  
Deputy Commandant  
Programs and Resources





# ***A Balanced Strategy***

## ***Reprogramming the Pentagon for a New Age***

“The defining principle of the Pentagon’s new National Defense Strategy is balance. The United States cannot expect to eliminate national security risks through higher defense budgets, to do everything and buy everything. The Department of Defense must set priorities and consider inescapable tradeoffs and opportunity costs.”

Robert M. Gates, SecDef

Foreign Affairs, Jan/Feb 09



# ***CMC Priorities***

- ◆ Achieve victory in the “Long War”
- ◆ Right-size the Marine Corps
- ◆ Resetting for today while modernizing for tomorrow
- ◆ Improve quality of life for Marines and families





# ***Strategy Objectives for 2025***


- ◆ Focus on the Individual Marine
  - ◆ Improve Training and Education for Fog, Friction, and Uncertainty
  - ◆ Expand Persistent Forward Presence and Engagement
  - ◆ Posture for Hybrid Threats in Complex Environments
  - ◆ Reinforce Naval Relationships
- Ensure Amphibious Force Levels Meet Strategic Requirements
  - Create Joint Seabasing Capabilities
  - Lead Joint/ Multinational Operations & Enable Interagency Activities
  - Maintain a Ready & Sustainable Reserve
  - Build/Deploy Multicapable MAGTFs

***A national imperative - Strengthening the MAGTF for employment across the ROMO***





# Sources of Stress, Instability, & Conflict



## Ungoverned Spaces


- Guatemala-Chiapas Border
- Colombia-Venezuela Border
- West Africa
- East Africa
- Arabian Peninsula
- North Caucasus Region
- Afghan-Pakistan Border
- Sulawesi-Mindanao



Urban Stress



Youth Bulge




Terrorism/Crime



Ungoverned



Energy Demand



Nuclear



Water Stress



Choke points



# Adapting to Current and Future Battlefields

Wars Amongst the People



Hybrid Threat Capabilities



- Networked Terrorists, Criminals, & Insurgents
- Emerging Global Powers
- Increasing Interdependence
- “Haves” vs “Have Nots”
- Anti-West attitudes
- Identity/ Faith-based movements

- Terrorism/Crime
- Significant Drug Regions
- Ungoverned Spaces
- Nuclear Armed States
- Anti-access Weapons

**Access challenges...  
Largely in the Littorals**



Complex Terrain

- Urbanization
- Famine and Disease
- Increased Resource Competition
- Climate Change
- High Earthquake Risk Areas



Information Environment

## HYBRID THREATS

*“militias, insurgent groups, other nonstate actors, and developing world militaries are increasingly acquiring more technology, lethality, and sophistication... Sec Gates*





# ***Precision Strike:*** Improving the Kill Chain

**FIND    FIX    TRACK    TARGET    ENGAGE    ASSESS**

## **Key enablers:**

- ◆ **Command, Control, & Communication**
- ◆ **Situational Awareness**
- ◆ **Precision Targeting**
- ◆ **Standoff**
- ◆ **Response Time**
- ◆ **Precision Lethality**




**Precision: A Warhead on a Forehead**





# *JMEMs*



## ♦ Introduced 1967

- Slide rule and stubby pencil
- Many voluminous books of data
- Manual methodologies
  - Single guided weapon: 20 minutes
  - Stick of unguided weapons: 1.5 hours
  - Stick of cluster weapons: 3.0 – 5.0 hours
- No ability to perform weaponeering against complex targets



# ***Today's model for precision strike***







# *Improving the kill chain:*

## Finding the target

- ◆ We can't hit what we can't find
  - 24/7 ISR is a must
- ◆ Many tools available for ISR
  - UAS
  - Fixed sensors
  - Satellite
- ◆ Communication is vital
  - Rapid/accurate dissemination
  - Common network





# *Improving the kill chain:* Fix/Track the target

## Requirement:

- ◆ Coordinate locking
  - GPS location within 1m
- ◆ Auto Target Hand-off System
- ◆ Prolific ISR assets
  - Satellite / fixed sensors
  - TF ODIN / C-12
  - UAS
  - Observer on the ground








# *Improving the kill chain:*

## Targeting

- ◆ Integration with Sensors
- ◆ More sensors lead to more data
- ◆ Each sensor produces multiple acquisitions
- ◆ Sensor Fusion/Correlation is required
  - Prevent stovepiping ISR by domain or platform ownership.
  - Automate the Target Processing Center
  - Reduce False Alarms through correlation/Fusion





# *Improving the kill chain:* Engage the target


## ♦ Response time reduction

- Accomplish within minutes
- Vital for unplanned Troops In Contact missions
- Targets of opportunity



## ♦ Need to continue movement into digital age

- Strikes still called over voice nets using “nonintegrated” GPS, LRF, map and compass
- Different delivery platforms require coordinates in different formats







# *Improving the kill chain:* Engage the target



## ◆ Close-medium range

- Hellfire / Rockets / Mortars / Sniper
- Artillery

## ◆ Longer range

- JSOW / JDAM / AARGM / JASSM

## ◆ Scalable effects





# Engagement Considerations

Less expensive

More expensive

Less accurate

More accurate

Most accurate

260m CEP (max range)

50m CEP

10m CEP

Match round to task

- Area coverage required
- Precision not required
- Larger TLE tolerance
- CD not an issue
- Ammunition resupply is not an issue

- Efficient area fires required
- Near precision creates efficiency
- TLE between 30m and 120m
- CD is a consideration
- Reduced resupply burden

- Point target attack
- Precision required (<10m CEP)
- TLE  $\leq$  25m
- Minimize CD
- Lowest resupply burden

**Scaleable precision provides more effective and efficient fires**





# ***What Level of Precision is Needed?***





# ***Improving the kill chain:***

## **Assess the damage**

- ◆ Information and communication are vital
  - Eyes/sensors on target for BDA
  - Data relayed instantly to analyst for assessment
  - Re-attack or start cycle over
  - Common data-base for timely/accurate assessments







# ***Near future for the long term***

## ◆ Information Systems improvements


- Networks
- Digital communications
- Web-based data



## ◆ Improvements to UAS

- Lower profile ISR
- Improved propulsion systems
- Improved computer processing


## ◆ Better munitions







# ***JSF - Single multi-mission adaptable platform***



**Multi-capable for the MAGTF**









***Questions?***





BLK

II

III

IV



# Tomahawk Asymmetric & Time Sensitive Strike

**Presented to:**  
**19th Annual Precision Strike  
Technology Symposium**  
**28 October 2009**  
**Presented by Mike Thumm**



**SHIPS**

**SUBS**

**TAs**

**ATWCS**

**TTWCS**

**TC2S**




**CAPT Dave Davison**

**PMA-280**

**david.d.davison@navy.mil**




# PEO(U&W) Products







# TWS Team Organization






# PMA-280 Overview



## TWS Critical Interfaces



## Development/Production Programs

### Tomahawk BLK IV AUR Program (ACAT IC)

Major Milestones	Date
FY04-08 MY Contract-1945 Missiles	Aug 04
CLS Contract Award	Apr 10
FY09 MY Contract-207 Missiles	Mar 09
FY10 Production Option Exercise- 196 Missiles	Jan 10
FY11-15 MY Contract Award-196 Missiles	Jan 11


### TTWCS Program (non-ACAT)

Next Major Milestone	Date
Version 5.4.1 Increment 2 PDR	Oct 09
Version 5.4.1 Increment 2 CDR	Mar 10
Version 5.4.1 Increment 3 SRR	Sep 10
Version 5.4.0 Fleet Release	Mar 11

- Enhance the Kill Chain
- Horizontal Integration
- Near Real Time / Re-targetable
- Agile
- Enterprise vs. Network
- Long Range Unmanned Precision Strike
- Prompt Strike on Critical Targets



# Tactical Tomahawk Weapon System Overview





# USN/UK Tomahawk Shooters

## SURFACE



**TICONDEROGA (CG)**

22 Platforms  
• VLS



**ARLEIGH BURKE (DDG)**

54 Platforms  
• VLS

## SUBMARINE



**LOS ANGELES 688**

47 Platforms  
• CLS/TTL



**SEAWOLF**

2 Platforms  
• TTL Only



**SSGN**

4 Platforms  
• CLS (MAC)



**VIRGINIA Class**

5 Platforms  
• CLS/TTL

## UK



**TRAFALGAR**

7 Platforms  
• TTL Only

- Remote Shooters
- Minimal Infrastructure / Interruption to Deployed Forces
- Fire and Forget
- No Tanker Support Needed
- Mobile and Concealed With Minimal Footprint



# Concept of Employment

## Strategic

- Long Term
- Strategic Targets
- OPLANS
- CMSA Support
- Non-time sensitive / Deliberate Planning



## Tactical

- High Value Targets
- Planned at Fleet or Firing Units (FRU)
- Flexible Targeting in Flight
- BDII
- Time sensitive / Tactical Mission Support



## Non – Traditional/Asymmetric Warfare

- Al Qaeda Targets / Overseas Contingency Ops
- Near Real Time Targeting

*Ability to plan with JSPEARS in the Field*


- Loiters
- Communicates / Network
- Flexible Targeting in Flight
- Third Party Targeting







# Horizontal Integration Expanding Role of TACTOM





# Special Forces Re-Targeting of a BLK IV Tactical Tomahawk



## Tomahawk/Special Forces Near Real-Time Targeting, Tech Demo

- Demonstrated ability to mensurate both commercial satellite and Unmanned Aerial Systems (UAS) imagery in the field
  - Target TLAM BLK IV by generating (Category 1) coordinates using commercial satellite imagery matched to Digital Point Precision Database (DPPDB)
  - Precision Fires Image (PFI)s loaded on Personal Data Assistant (PDA)s for Special Operations Forces (SOF) observer prior to launch
- While BLK IV missile inbound to preplanned primary/secondary targets, SOF personnel sent target coordinates to Commander 3<sup>rd</sup> Fleet (C3F) via nine-line message
- C3F transmitted Aimpoint Update In-flight Mission Modification Message (IMMM) to BLK IV missile via UHF Tomahawk Strike Network
- Missile prosecuted the SOF Aimpoint
- Post mission Battle Damage Assessment (BDA) collected by Scan Eagle UAS

**OTL-473 Validated Multiple Satellite and UAS Sources Capable of Supporting BLK IV Near Real Time Re-Targeting and BDA**



# OTL-473 Video






# Mission Overview

**Mission:**  
- TC2S Pre-Planned  
- GPS-only

**Launch:**  
- TOL Engagement  
- One or More Ship-Entered Waypoints  
- Overwater Contact Scenario



**FRU: IMMM #1 Request H&S**

**CSP STT: IMMM #2 Flex IMMM**

**Health & Status Messages:**  
- Scheduled: 10-min intervals  
- Event: All except Planned Turn Complete

**W-289  
NAVAIR Sea Test Range**

**Third Party Targeting:**  
- SOF downloads and mensurates satellite imagery.  
- SOF downloads and mensurates Raven UAS image imagery  
- SOF provides 9 line tasking to C3F via JFCOM (based on Raven image)

**BDII**

**Primary Route**

**Flex Route**

**C3F: IMMM #3 Aimpoint Update IMMM**

**Near Real Time Re-Targeting Aimpoint**

**Terminal Conditions:**  
- Flex overland paths are similar to Primary Mission Route  
- Inert Warhead/Fuze  
- Operational Fuze Setting  
- Post impact BDA by Scan Eagle

(C-Sam Site Point D)  
GPS Only Operational VDM

(C-Sam Site Point E)  
GPS Only Operational VDM

(C-Sam Site Center)  
GPS Only Operational VDM

**Aimpoint Update Route**

Primary Route:  
Flex Route 1:  
Aimpoint Update:  
Intended Outcome:  
Primary Target:  
Alternate Target:  
Branch Point:




**NAVAIR Land Test Range (R2508 / R2505)**

**IR-200**



# Tactical Real Time Employment Of TACTOM







# Asymmetric TACTOM Employment

Tomahawk Missile Systems available for Non-Traditional support

- Proven Asymmetric Warfare (Overseas Contingency Operations)
- Ability to support third party targeting
- Only network enabled long range weapon
- Mission flexibility
  - In-flight flexibility for changing real-time targets
  - In-flight health monitoring (IMMM) messaging
  - Battle Damage Imagery
  - Responsiveness to nine line brief/calls for fire tasking

**Tomahawk meets the Requirement of Asymmetric Warfare  
& Training Joint Forces in Calls for Fire**




# ***Addressing the ASuW Capability GAP: An Acquisition Perspective***

**CAPT Mat Winter  
PM, Precision Strike Weapons  
28 October 2009  
[mathias.winter@navy.mil](mailto:mathias.winter@navy.mil)**



## The ASuW Problem...




Maneuvers  
Civilian Ships  
Target Size  
Quantity

## Required ASuW Weapon Attributes

- Long Range (> 200 nm)
- Survivable
  - Stealth/ECM
  - Speed
  - Maneuver
  - Passive
- Targeting
  - Autonomous Target Classification/Identification
  - In flight Updates
  - All Weather
- Responsive
- Lethality – Warhead & Aim Point Selection
- Platform Compatibility (VLS, Air)



# Current/Future ASuW Capabilities






- **Acquisition timeline pressurizes realistic capability gap solutions**
- **DoD ASuW requirement not formally approved/validated**
- **DoD FYDP budget constraints influence material solution options**
- **Upgrade/modify current capabilities versus pursuing the next generation solution**






# ASuW Strategic Capability Options (FY12-20)






# ASuW Capabilities: Acquisition Reality





# Next Generation ASuW Weapon "AoA to MS-B"





- **Multiple ASuW Gap Efforts underway across DoD/Industry**
- **DoN ASuW AoA critical to scoping/defining requirement**
- **DoN/Industry cooperation provides best timely solutions**
- **Leveraging S&T investments key to “right sizing” capability attributes**
- **Phased ASuW solution with “near term modifications” coupled with “dedicated new investment” for next generation ASuW capability**